
Thursday, 15/05/2008 8:09:58 AM Date: Linda Lacelle Usen **Process Sheet** · WEARSHOE **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 39277 POSITIVE : 13310 **Estimate Number** RECALL : D37931 Part Number P.O. Number PRELIM **Drawing Number** S.O. No. : 15/05/2008 This Issue : N/A Project Number : NC Prsht Rev. : PRELIM : R & D SM/MED FAB Drawing Revision : 11 Type First Issue Material : 39251 Previous Run Each : 22/05/2008 40 Um: Qty: Due Date Written By Checked & Approved By new issue DD verified by: 08-05-13 : Est Rev:A Comment PRELIMINARY ISSUE **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: 304/316 .040 Sheet M304S20GA 1.0 NOT DULLED 22.9320 sf(s) Comment: Qty.: 0.5733 sf(s)/Unit Total: 304/316 .040 Sheet (M304S20GA) Batch: FLOW WATER JE 2.0 Comment: FLOW WATER 1-Cut as per Dwg D3793 A 8-5-22 Dwg Rev: PRE Prog Rev:_ 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE QC2 3.0 (C-5-8 & Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK QC8 4.0 Comment: SECOND CHECK NC BRAKE BRAKE NC Comment: NC BRAKE 1-Deburr if necessary 2-Form on Brake as per Dwg D3793 using Jigs Dt 8 326 Dt 8 26 / 8 08/05/


,								
٠.	•							
					ing pr	* 5		
				s.				
					**.X			
					*			
					-			

Thursday, 15/05/2008 8:09:58 AM Date: Linda Lacelle **Process Sheet** User: Drawing Name: WEARSHOE Customer: CU-DAR001 Dart Helicopters Services Part Number: D37931 Job Number: 39277 Job Number: Description: Seq. #: Machine Or Operation: 3-Form Joggle on brake using Jig as per Dwg D3793 INSPECT WORK TO CURRENT STEP QC5 KAY 08.05.23 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref. 4.3.5.6) as per QSI 005 4.3 START TIME: OVEN TEMPERATURE: FINISH TIME: INSPECT POWDER COAT/CHEMICAL CONVERSIO 8.0 QC3 POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT PACKAGING RESOURCE #1 PACKAGING 1 9.0 B38540 D350-636-011 x1 Comment: PACKAGING RESOURCE #1 639189 D390-636-014 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE QC21 10.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion POSITIVE RECALL EFFECTIVE 08.515 AUTH RELEASED U DATE 08-05-22

13 x	



D3793-1F FLAT PATTERN



D3793-1 BEND DETAIL (MAKE FROM D3793-1F)

NOTES:

D

C

B

A

1) MATERIAL: AISI 304/316 SS SHEET SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK)

(REF DART SPEC M304S20GA

2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: NONE

7) WEIGHT: D3793-1 - 0.72 LBS, D3793-3 - 0.66 LBS

. A.		

26.735 17.750 14.250 9.500 4.750 DETAIL A R0.57 R1.25

2

5.313 -

D3793-3F FLAT PATTERN

-6.75 -

Ø0.188 2 PL

3

PRELIMINARY ISSUE

C

В



D3793-3 BEND DETAIL

(MAKE FROM D3793-3F)

A	NEW ISS	SUE		PH	08.05.14		
REV.			DESCRIPTION	BY	DATE		
DESIGN PH			DART AEROSPACE USA, INC				
CHECKED		N	DRAWING NO. D3793		REV. A SHEET 1 OF 2		
MFG. APPR. APPROVED		172	TITLE WEARSHOE	SCALE NTS			
DE APPR. 08.05.14			COPYRIGHT © 2008 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR MY PURPOSE OR COMMINICATED TO ANY OTHER PERSON WITHOUT WHITTEN PERMASSION FROM DART AEROSPACE USA, NO.				


2

4

1.885


6.00

5				



ja-			
2			
100			
est in			
No.			

4 3 1 2 1 1



DETAIL B SCALE 10X

3

PRELIMINARY ISSUE

D

C

В

A

DESIGN	PH	DART AEROSPACE USA, INC		
DRAWN	PH	PORT HAD		
CHECKED	4	DRAWING NO.	REV. A	
MFG. APPR.	17	D3793	SHEET 2 OF 2	
APPROVED		TITLE	SCALE	
DE APPR.		WEARSHOE	NTS	
DATE 08.0	5.14	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS MOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WINTTEN PERMISSION FROM DART AEROSPACE USA, INC.		

2

A

	ī		


DART AEROSPACE LTD	Work Order:	39717
Description: WEAR SHOE	Part Number:	D3793-1
Inspection Dwg: N3787 Rev: DRE		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


X	First Article	Prototype
	I II ST ATTICLE	Liototype

	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
881. 8	4,005 - ,007	× 187	×		(4.1	
300 x360	H010	363×363	2			
1.885	1/- ,010	1.890	x			,
2,000	17/010	2,000	¥			.47
5,60	t/000	5,00	X			,
8.00	11- 50	8.00	8			
14,00	t1030	14,00	*			
90.00	11/030		8			
14.066	+/010	14,000	×			
18.983	t/2 ,00	18,983	The state of the s			
23.900	t/- 010	23,900				
27,400	111	27.400	1			
29.406		29.400	1			ě
31.900	4- ,010	32.906				
		30				
				,		
				-		,
easured by:	B Auc	dited by:		Prote	otype Approv	
-	8-5-21	Date:	3/05/22		Da	
ev Date	Change New Issue		que las		Revis	sed by Approved

Atomic Control		



•			



*		
y		
	, "	